

## Technical Information

INOLUB™R810F is a PTFE micropowder with discrete particles and good powder flow. Viscosity effects are minimised, and migration tendency is also reduced.

INOLUB™R810F is one of our most versatile products, and can be used in a wide range of applications as an additive at concentration in the range 1-20%.

## Product features and benefits

- ◆ Low friction and squeak
- ◆ Excellent wear resistance
- ◆ Improved stain resistance and soil release
- ◆ Improved pressure velocity limits
- ◆ FDA/EU complaint
- ◆ Discrete particles, providing minimal rheological impact

## Typical Properties of INOLUB™ R810F

Properties	Test Method	Unit	Nominal Value
Appearance	-	-	White free flowing powder
Bulk Density	ASTM D4894	g/l	750
Mean Particle Size	ASTM D4894	µm	600
Specific Surface area	Nitrogen Adsorption	m <sup>2</sup> /g	<3
Melting point	ASTM D4894	°C (°F)	342 (648)

Note-These are typical properties and not to be used for specification purposes

## Typical end use applications

INOLUB™R810F is a versatile product and can be used as an additive in polymers, coatings, paints, and lubricants.

INOLUB™R810F may also be used in polymers to reduce friction and wear, and to improve non-stick performance.

For more information, please contact Gujarat Fluorochemicals Limited

### Corporate & Marketing Office :

INOX Towers, Plot No.17, Sector 16A  
Noida-201301, U.P., INDIA  
Tel : +91-120-6149600  
Fax : +91-120-6149630

### Works :

12/A, GIDC Dahej Industrial Estate, Tehsil  
Vagra, Distt. Bharuch-392130, Gujarat, INDIA  
Website : [www.inoflon.com](http://www.inoflon.com)  
Email : [inoflon@gfl.co.in](mailto:inoflon@gfl.co.in)



## FDA/EU Statement

INOLUB™R810F meets the compositional requirement of Food and Drug Administration (FDA) regulation 21C.F.R.177.1550, and EU food contact regulation 10/2011.A detailed statement is available upon request.

## Storage

INOLUB™R810F may be stored indefinitely, provided that the packaging remains unopened and that it has been stored in a clean and dry area at temperature below 27°C (80°F).

## Safety and Handling

Although INOLUB™R810F presents no safety hazard under normal handling conditions, please refer to the material safety data sheet to avoid potential hazards prior to processing.

## Packaging

INOLUB™R810F is available in 25 kg corrugated boxes, packed in a polyethylene liner.

INOLUB™ is the brand name of Gujarat Fluorochemicals Limited (GFL) used for its brand of fluoropolymer additives. INOLUB™ can be used in applications duly approved by GFL. Customers who plan to use the word INOLUB™ as the trade mark on or relation to their own manufactured parts and other products in any style or combination or in any manner whatsoever must contact GFL for prior permission for such use. No consumer/user of GFL fluoropolymer additives is permitted to claim that their products contain INOLUB™ without prior permission from GFL.

The information provided in the bulletin is furnished at no cost to the recipient and is based on information and technical data that Gujarat Fluorochemicals Limited believes is correct and sound. Those who choose to use the information must be technically qualified, and do so entirely at their own cost and risk. The users must determine and insure that their specific conditions of processing present no health or safety hazards. GFL does not warranty, either expressly or implied, in respect of use of this information for application of its INOLUB™ branded fluoropolymer additives and shall bear no liability as a result of any loss or damage caused directly or indirectly due to use of any information provided in this bulletin. Nothing contained herein can be taken or construed as a grant of license by GFL to operate under or a recommendation to infringe any patents.

**Note warning:** Do not use any of INOLUB™ PTFE additives in medical devices that are designed for permanent implantation in the human body. For other medical uses, prior permission of GFL may be sought.

**Contact Information:**  
**Gujarat Fluorochemicals Ltd.**  
**Inox Towers, Plot No. 17**  
**Sector 16A, Noida- 201301**  
**U.P., India**  
**Tel: +91-120-6149600**  
**Fax: +91-120-6149630**  
**Website: [www.inoflon.com](http://www.inoflon.com)**  
**Email: [Inoflon@gfl.co.in](mailto:Inoflon@gfl.co.in)**