

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 22.12.2024

Version No: 2.00

Revision: 22.12.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: INOLUB® P504F

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the preparation: Additive for polymers

Uses advised against: No further relevant information available.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Gujarat Fluorochemicals Limited
12/A Dahej, GIDC, Industrial Estate
Dahej, Gujarat 392130, India
Telephone: +91-2641-618031(Admin)/ 618086-87(Security)
Email: inoflon@gfl.co.in, contact@gfl.co.in

1.4 Emergency telephone number:

Emergency Telephone Number: +91-2643-618081 (SHE) / 618086-87(Security)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not determined.

vPvB: Not determined.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

CAS: 25087-34-7 EC number: 607-541-7	Butene/ ethylene copolymer	50%
CAS: 9011-17-0 EC number: 618-470-6	1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene	45%
CAS: 14807-96-6 EC number: 238-877-9	talc	< 4.0%
CAS: 7631-86-9 EC number: 231-545-4	silicon dioxide, chemically prepared	< 1.0%

Dangerous components: Void

Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 22.12.2024

Version No: 2.00

Revision: 22.12.2024

Trade name: INOLUB® P504F

(Contd. of page 1)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take affected persons out of danger area and lay down.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation: Supply fresh air.

After skin contact: Generally, the product does not irritate the skin.

After eye contact:

Rinse opened eye for several minutes under running water.

Remove contact lenses, if present and easy to do. Continue rinsing.

After swallowing: Rinse out mouth and then drink plenty of water.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide

Carbon dioxide

Hydrogen fluoride (HF)

5.3 Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device.

Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire-fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective clothing.

Avoid formation of dust.

Keep away from ignition sources.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Prevent formation of dust.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 22.12.2024

Version No: 2.00

Revision: 22.12.2024

Trade name: INOLUB® P504F

(Contd. of page 2)

Any unavoidable deposit of dust must be regularly removed.
Ensure good ventilation/exhaustion at the workplace.

Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

Information about storage in one common storage facility: Store away from oxidising agents.

Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 14807-96-6 talc

OEL (Ireland)	Long-term value: 10* 0.8** mg/m ³ **total inhalable **respirable dust
---------------	---

DNELs

CAS: 14807-96-6 talc

Dermal	DNEL(long/local)	2.27 mg/cm ² (Consumer) 4.54 mg/cm ² (Workers (Industrial/Professional))
	DNEL(long/systemic)	21.6 mg/kg bw/day (Consumer) 43.2 mg/kg bw/day (Workers (Industrial/Professional))
Inhalative	DNEL(long/local)	1.8 mg/m ³ (Consumer) 3.6 mg/m ³ (Workers (Industrial/Professional))
	DNEL(long/systemic)	1.08 mg/m ³ (Consumer) 2.16 mg/m ³ (Workers (Industrial/Professional))
	DNEL(short/local)	1.8 mg/m ³ (Consumer) 3.6 mg/m ³ (Workers (Industrial/Professional))
	DNEL(short/systemic)	1.08 mg/m ³ (Consumer) 2.16 mg/m ³ (Workers (Industrial/Professional))

PNECs

CAS: 14807-96-6 Talc

PNEC (aqua)	597.97 mg/L (freshwater)
-------------	--------------------------

PNEC (sediment)	141.26 mg/L (marine water)
	31.33 mg/kg sedi. dw (freshwater)
	3.13 mg/kg sedi. dw (marine water)

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 22.12.2024

Version No: 2.00

Revision: 22.12.2024

Trade name: INOLUB® P504F

(Contd. of page 3)

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Keep away from foodstuffs, beverages and feed.

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

Hand protection



Protective gloves

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Safety glasses

Body protection:



Protective work clothing

Environmental exposure controls No further relevant information available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

Solid

Form:

White granular powder

Colour:

White

Odour:

Characteristic

Odour threshold:

Not determined.

Melting point/freezing point:

Not determined.

Boiling point or initial boiling point and boiling range

Not applicable.

Flammability

Not determined.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 22.12.2024

Version No: 2.00

Revision: 22.12.2024

Trade name: INOLUB® P504F

(Contd. of page 4)

Lower and upper explosion limit

Lower:	Not applicable.
Upper:	Not applicable.
Flash point:	Not applicable.
Ignition temperature:	Not Available
Decomposition temperature:	Not determined.
pH	Not applicable.
Viscosity:	
Kinematic viscosity	Not applicable.
Dynamic:	Not applicable.
Solubility	
water:	Insoluble.
Partition coefficient n-octanol/water (log value)	CAS: 14807-96-6 talc -9.4 log Pow (25° C, pH 7, QSAR)
Vapour pressure:	Not applicable.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not applicable.
Relative gas density	Not applicable.
Particle characteristics	See item 3.
9.2 Other information	
Explosive properties:	Product does not present an explosion hazard.
Oxidising properties	No
Evaporation rate	Not applicable.

SECTION 10: Stability and reactivity

- 10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability** No decomposition if used and stored according to specifications.
- Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions** No dangerous reactions known.
- 10.4 Conditions to avoid** Protect from humidity and water.
- 10.5 Incompatible materials:** Strong oxidizing agents
- 10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 14807-96-6 talc

Oral	LD50	> 5000 mg/kg (Rat) (OECD Guideline 423)
Dermal	LD50	> 2000 mg/kg (Rat) (OECD Guideline 402)
Inhalative	LC50 (4h)	> 2.1 mg/L (Rat) (OECD Guideline 403, inhalation: aerosol)

CAS: 7631-86-9 silicon dioxide, chemically prepared

Oral	LD50	> 5000 mg/kg (Rat) (OECD Guideline 401)
------	------	---

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 22.12.2024

Version No: 2.00

Revision: 22.12.2024

Trade name: INOLUB® P504F

(Contd. of page 5)

Dermal	LD50	> 2000 mg/kg (Rabbit) (OECD Guideline 402)
Inhalative	LC50 (4h)	> 5.01 mg/L (Rat) (OECD Guideline 436, inhalation: aerosol)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 25087-34-7 Butene/Ethylene Copolymer

EC50 (48h) (static) No information available

NOEC (21d) (dynamic) No information available

NOEC (28d) (dynamic) No information available

CAS: 14807-96-6 talc

LC50 (48h) 36812.359 mg/L (Daphnia) (QSAR)
nominal

LC50 (96h) 89581.016 mg/L (Fish) (QSAR)
nominal

EC50 (96h) 7202.7 mg/L (Algae) (QSAR)
nominal

NOEC (30d) 918 mg/L (Algae) (QSAR)
nominal
1459.798 mg/L (Daphnia) (QSAR)
nominal
5979.718 mg/L (Fish) (QSAR)
nominal

CAS: 7631-86-9 silicon dioxide, chemically prepared

LL50 (96h) > 1000 mg/L (Fish) (OECD Guideline 203, Oncorhynchus mykiss)
nominal

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 22.12.2024

Version No: 2.00

Revision: 22.12.2024

Trade name: INOLUB® P504F

(Contd. of page 6)

EL50 (48h) (static)	> 1000 mg/L (Daphnia) (OECD Guideline 202, Daphnia magna) nominal
EC50 (72h)	> 173.1 mg/L (Algae) (OECD Guideline 201, Desmodesmus subspicatus)
NOEC (21d)	68 mg/L (Daphnia) (OECD Guideline 211, Daphnia magna)

12.2 Persistence and degradability

No further relevant information available

12.3 Bioaccumulative potential No further relevant information available.

Bioconcentration factor (BCF)

CAS: 14807-96-6 talc 3,16 BCF (QSAR)
CAS: 7361-86-9 silicon dioxide, chemically prepared 3,162 BCF (QSAR)

12.4 Mobility in soil

CAS: 14807-96-6 talc 1.503 log Koc (20° C, QSAR)
CAS: 7631-86-9 silicon dioxide, chemically prepared 1.34 log Koc (estimated)

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation: Must be specially treated adhering to official regulations.

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN, IMDG, IATA Void

14.2 UN proper shipping name

ADR/RID/ADN, IMDG, IATA Void

14.3 Transport hazard class(es)

ADR/RID/ADN, IMDG, IATA
Class Void

14.4 Packing group

ADR/RID/ADN, IMDG, IATA Void

14.5 Environmental hazards: Not applicable.

14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to IMO instruments Not applicable.

Transport/Additional information: Not dangerous according to the above specifications.

UN "Model Regulation": Void

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 22.12.2024

Version No: 2.00

Revision: 22.12.2024

Trade name: INOLUB® P504F

(Contd. of page 7)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

Chemical Inventories:

Australia - AICS	Yes
Canada - DSL	Yes
China - IECSC	Yes
EU - EINECS	No(vinylidene fluoride / hexafluoropropene copolymer, Butene/ethylene copolymer)
Japan - ENCS	Yes
Korea - ECL	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	Yes
Taiwan - TSCI	Yes
Thailand - TECI	Yes
Mexico - INSQ	No (vinylidene fluoride / hexafluoropropene copolymer, Butene/ethylene copolymer)
Vietnam - NCI	Yes
Russia - ARIPS	Yes

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
 MARPOL: (from Marine Pollutant) International Convention for the Prevention of Marine Pollution from Ships
 IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 UN: United Nations (also UNO: United Nations Organization)
 NOEC: No Observed Effect Concentration
 OECD: Organisation for Economic Co-operation and Development
 ASTM: American Society for Testing and Materials
 WAF: Water Accommodated Fraction

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 22.12.2024

Version No: 2.00

Revision: 22.12.2024

Trade name: INOLUB® P504F

(Contd. of page 8)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative